MY Way MAGAZINE

VYVGART Hytrulo®
(efgartigimod alfa and hyaluronidase-qvfc)

VYVGART®
(efgartigimod alfa-fcab)



Meet **DOUG** and others who are on VYVGART

JOURNEY *On*

The Voices of VYVGART share their travel stories

PG. 7

FALL 2026

On the Road Together

The third issue of *MY Way Magazine* is here in time for a special milestone. This magazine edition marks 5 years since the approval of VYVGART for intravenous (IV) infusion. We remain committed to helping this community and are excited about the 2026 approval of VYVGART for adults with any antibody subtype of generalized myasthenia gravis (gMG).

We are honoring this moment through sharing the stories of the people who inspire us. In this issue, we follow Rena, Doug, and Mary Beth, who all live with gMG. They pursued their passions in the MY RV Getaway series. With improved daily abilities, they were able to do things like photography lessons in Montana and volunteering in Georgia.



See more of Mary Beth (top) and Doug (bottom) on page 7.

As you read this magazine, we hope you will consider asking your doctor about VYVGART. Serving this community continues to fuel our commitment to every person living with gMG. Together, we are better.

From your team at argenx

What is VYVGART® (efgartigimod alfa-fcab) for intravenous (IV) infusion and what is VYVGART HYTRULO® (efgartigimod alfa and hyaluronidase-qvfc) for subcutaneous injection?

VYVGART and VYVGART HYTRULO are both prescription medicines used to treat adults with generalized myasthenia gravis (gMG).

It is not known if VYVGART or VYVGART HYTRULO is safe and effective in children.

SELECT IMPORTANT SAFETY INFORMATION

Do not take VYVGART if you are allergic to efgartigimod alfa or any of the ingredients in VYVGART. Do not take VYVGART HYTRULO if you are allergic to efgartigimod alfa, hyaluronidase, or any of the ingredients in VYVGART HYTRULO. VYVGART or VYVGART HYTRULO can cause serious allergic reactions and a decrease in blood pressure leading to fainting.

Please see Important Safety Information throughout. Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

VYVGART Hytrulo® (efgartigimod alfa and hyaluronidase-qvfc) | VYVGART® (efgartigimod alfa-fcab)

Table of Contents

03 Five Years Together
Celebrating 5 years of VYVGART for IV infusion and the gMG community

04 Care Designed Around gMG
Learn how people work with their doctor to build their dosing schedule

05 The Moment I Knew It Was Time
People share the moments that inspired them to talk to their doctors about VYVGART

06 Support From the Beginning
How the patient support program can help with cost, coverage, access, and more



Toni and Doug



Rena travels to Montana with MY RV Getaway

7 Getaway With the Voices of VYVGART
Rena, Doug, and Mary Beth take on their own adventures to remind them of what's possible

11 Puzzle Break
Test your knowledge with a matching game!

12 Important Safety Information
for VYVGART and VYVGART Hytrulo

Patient stories are based on personal experiences. Individual results may vary. The people featured in these stories are living with gMG and are paid spokespeople taking VYVGART for IV infusion or VYVGART Hytrulo for subcutaneous injection.


Everyone's gMG story is different. Talk to your doctor before making any changes to your treatment plan.

5 Years of Commitment

As we celebrate this milestone, we're also celebrating every story, every conversation, and every person who has helped shape the VYVGART community along the way.

2021

The FDA approves VYVGART for IV infusion for adults with anti-AChR antibody positive gMG



2022

One of the first Voices of VYVGART

"After considering my options, my doctor and I chose VYVGART."

Sue
Living with gMG
On VYVGART for IV infusion since 2022.



2023

Another way to receive treatment

The FDA approves VYVGART Hytrulo for subcutaneous injection for adults with anti-AChR antibody positive gMG

2024

VYVGART receives FDA approval in another condition

2025

VYVGART Hytrulo becomes available as a prefilled syringe for self-injection



#1 prescribed branded biologic treatments for gMG*

Based on data for adults with anti-AChR antibody positive gMG

2026

The only treatment for adults with any gMG antibody subtype

Antibody subtypes include:
- triple seronegative
- anti-AChR antibody positive
- anti-LRP4 antibody positive
- anti-MuSK antibody positive

"I was happy to hear that VYVGART for IV infusion and VYVGART Hytrulo were approved to treat my gMG antibody subtype."

Babette
Living with gMG
On VYVGART Hytrulo since 2026.



SELECT IMPORTANT SAFETY INFORMATION

Before taking VYVGART or VYVGART HYTRULO, tell your healthcare provider about all of your medical conditions, including if you: have an infection or fever; have recently received or are scheduled to receive any vaccinations; have any history of allergic reactions; have kidney (renal) problems. Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

Please see Important Safety Information throughout. Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

See why so many people have made VYVGART part of their treatment journey
Download the VYVGART Brochure

*Combined #1 prescribed FDA-approved branded biologic treatments for adults with anti-AChR antibody positive gMG. Based on IQVIA LAAD from January 2023 to June 2026. AChR=acetylcholine receptor; LRP4=low-density lipoprotein receptor-related protein 4; MuSK=muscle-specific tyrosine kinase. Triple seronegative means a person does not show anti-AChR, anti-LRP4, or anti-MuSK antibodies when tested.

Different People Need *Different* Treatment Plans

From symptoms to antibody subtypes, people with gMG may have different experiences. **Niki**, **Prezina**, **Babette**, and **Doug** worked with their doctors to personalize their breaks between treatment cycles.

VYVGART Hytrulo® (efgartigimod alfa and hyaluronidase-qvfc) | VYVGART® (efgartigimod alfa-fcab)



Niki

Living with anti-AChR antibody positive gMG

On VYVGART for IV infusion since 2022.

Break between treatment cycles:

2 weeks

“**My doctor and I kept track of my gMG symptoms** so that I could find the time between cycles that works for me.”



Prezina

Living with anti-AChR antibody positive gMG

On VYVGART for IV infusion since 2022.

Break between treatment cycles:

4 weeks

“**After my first cycle of VYVGART, I started seeing improvement in my daily abilities**. I watered my plants and went to the grocery store.”



Babette

Living with triple seronegative gMG

On VYVGART Hytrulo since 2026.

Break between treatment cycles:

4 weeks

“What stood out to me most about VYVGART Hytrulo was the flexibility. **I like that my treatment schedule could change if my doctor and I felt it needed to**.”



Doug

Living with anti-AChR antibody positive gMG

On VYVGART since 2022.

Break between treatment cycles:

9 weeks

“I was interested in the **flexibility of the VYVGART Hytrulo prefilled syringe**. It allowed me more control over where I receive treatment.”

VYVGART is given in treatment cycles with a personalized break between cycles. Each treatment cycle is 4 treatments, 1 given each week. You and your doctor will decide together when to schedule your next treatment cycle, taking into account your symptoms and any side effects.*

Find out how a VYVGART treatment plan could work for you
Learn about dosing from people on VYVGART.

*If you miss a treatment, VYVGART may be given up to 3 days after the missed treatment. After that, continue with the normal time between treatments.

SELECT IMPORTANT SAFETY INFORMATION

Before taking VYVGART or VYVGART HYTRULO, tell your healthcare provider about all of your medical conditions, including if you: are pregnant or plan to become pregnant; are breastfeeding or plan to breastfeed. It is not known whether VYVGART or VYVGART HYTRULO will harm your unborn baby. It is not known if VYVGART or VYVGART HYTRULO passes into your breast milk. Pregnancy Exposure Registry. There is a pregnancy exposure registry for women who use VYVGART or VYVGART HYTRULO during pregnancy. The purpose of this registry is to collect information about your health and your baby. Your healthcare provider can enroll you in this registry. You may also enroll yourself or get more information about the registry by calling 1-855-272-6524 or going to VYVGARTPregnancy.com.

Please see Important Safety Information throughout. Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

The Moment Everything Changed

Many people living with gMG can point to a time when they realized their treatment plan wasn't enough. Here are a few stories from people who remember when they knew it was time to ask their doctor about VYVGART.

Priscilla


Living with gMG
On VYVGART Hytrulo since 2025.

"**I spent a long time convincing myself that I was doing okay.** Then, one day, my legs gave out beneath me, and I broke my ankle in three places. **It became a wake-up call**.

After surgery and recovery, I had a conversation with my doctor about VYVGART Hytrulo for my anti-AChR antibody positive gMG."

MY VYVGART MOMENT: Doing everyday tasks like washing my face or putting my hair up in a ponytail.





Fred

Living with gMG
On VYVGART since 2022.

"**I couldn't see what was right in front of me**. At the time, I was delivering cars to customers for work, but one day I found myself having to say no because **I couldn't safely do my job**.

That's when I realized I couldn't keep going like this. I needed to talk to my doctor about a treatment plan that could work for me."

MY VYVGART MOMENT: Cooking meals for my family.

~8 out of 10

people on a biologic wish they had added it to their treatment plan sooner.*

*Survey results from March 2025 of a small group of 36 patients with gMG currently taking a biologic treatment. Caution should be used in interpreting this number due to small sample size, n=36.

Niki

Living with gMG
On VYVGART for IV infusion since 2022.

"**When you're a mom, you're always trying to keep up with your children**. But when my gMG symptoms were really acting up, even a trip to the park felt different. **I found myself sitting on the bench instead of joining in**.

After I had my youngest child, I talked to my doctor and said, 'I'm ready to consider VYVGART.'"

MY VYVGART MOMENT: Going to the park with my kids and being part of the fun again.



VYVGART Hytrulo® (efgartigimod alfa and hyaluronidase-qvfc) | VYVGART® (efgartigimod alfa-fcab)

SELECT IMPORTANT SAFETY INFORMATION


VYVGART or VYVGART HYTRULO can cause side effects which can be serious, including infection. VYVGART or VYVGART HYTRULO may increase the risk of infection. If you have an active infection, your healthcare provider should delay your treatment with VYVGART or VYVGART HYTRULO until your infection is gone. Tell your healthcare provider right away if you get any of the following signs and symptoms of an infection: fever; chills; frequent and painful urination; cough; pain and blockage of nasal passages; wheezing; shortness of breath; sore throat; excess phlegm; nasal discharge.

Please see Important Safety Information throughout. Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

Talk to your doctor about VYVGART

Use this guide at your next appointment to talk about your symptoms, treatment goals, and whether VYVGART could be a fit for you.

Support From the Start



Every treatment journey begins with questions. **My VYVGART Path** is here to help.

Once you and your doctor have decided on biologic treatment with VYVGART, you may have questions on cost, coverage, and accessing treatment. That's why it's important to have a trusted resource that you can rely on, like My VYVGART Path. It's a patient support program that's designed to help you navigate those questions, understand treatment, and more.



You've just been prescribed VYVGART

There's a lot to think about before beginning biologic treatment with VYVGART, but you don't have to do it alone.

My VYVGART Path can help you:

- Get one-on-one support from a Nurse Case Manager (NCM) throughout your treatment journey
- Understand your insurance coverage and prior authorization process
- Learn about financial support programs, including co-pay assistance for eligible commercially insured patients*

"Whenever we asked the Nurse Case Manager questions, **we felt like we could ask anything. She already knows you and your story so you don't have to bring her up to speed**. It's someone on your team who is informed and working for you."

Toni, Doug's wife and caregiver



Doug
Living with gMG
On VYVGART Hytrulo
since 2024.

A Nurse Case Manager is just a phone call away

One of the ways My VYVGART Path helps is by having a Nurse Case Manager by your side. Think of them as your personal guide.


They can help by giving you resources, support, and symptom tracking tools and by being there to talk through your challenges.



Reagan, an NCM

Support doesn't end after your first treatment cycle

As your needs change, My VYVGART Path support adapts to you. Your Nurse Case Manager can help you stay organized, connected, and informed throughout your treatment journey.



Pay as little as **$0**

You may pay as little as $0 for VYVGART and related administration costs*

Information provided by the Nurse Case Managers is not intended or implied to be a substitute for professional medical advice, diagnosis, or treatment. Always consult with a qualified and licensed physician or other healthcare provider regarding your medical condition, treatment, and healthcare needs.

*Eligible commercially insured patients may pay as little as $0 for VYVGART and may receive a maximum benefit of $25,000 per calendar year for their eligible out-of-pocket costs for the drug and drug administration. Persons residing in MA and RI are not eligible for financial assistance related to administration costs. Please see full Terms and Conditions.

VYVGART Hytrulo® (efgartigimod alfa and hyaluronidase-qvfc) | VYVGART® (efgartigimod alfa-fcab)

SELECT IMPORTANT SAFETY INFORMATION

VYVGART or VYVGART HYTRULO can cause side effects which can be serious, including allergic reactions (hypersensitivity reactions). VYVGART or VYVGART HYTRULO can cause allergic reactions that can be severe. These reactions can happen during, shortly after, or weeks after your VYVGART infusion or VYVGART HYTRULO injection. Tell your healthcare provider or get emergency help right away if you have any of the following symptoms of an allergic reaction with VYVGART or VYVGART HYTRULO: rash; swelling of the face, lips, throat, or tongue; shortness of breath; trouble breathing; low blood pressure; fainting. An additional symptom of an allergic reaction with VYVGART HYTRULO can include hives.

Please see Important Safety Information throughout. Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

Enroll today
Get access to the support that could help you with starting and staying on VYVGART

MY RV Getaway









MONTANA

MAINE

Getaway

With the Voices of VYVGART

The MY RV Getaway Series has brought Rena, Doug, and Mary Beth on their own adventures.

GEORGIA





(Continued on page 8.)

VYVGART Hytrulo® (efgartigimod alfa and hyaluronidase-qvfc) | VYVGART® (efgartigimod alfa-fcab)

SELECT IMPORTANT SAFETY INFORMATION

VYVGART or VYVGART HYTRULO can cause side effects which can be serious, including infusion or injection-related reactions. VYVGART can cause infusion-related reactions. VYVGART HYTRULO can cause infusion or injection-related reactions. These reactions can happen during or shortly after your VYVGART infusion or VYVGART HYTRULO injection. Tell your healthcare provider if you have any of the following symptoms of an infusion or injection-related reaction: high blood pressure; chills; shivering; chest, stomach, or back pain.

Please see Important Safety Information throughout. Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

MY RV Getaway

Travel has a way of reminding us who we are. With every new adventure, we discover something we might have never known if we stayed in one place.

Living with gMG can make getting out into the world more challenging. With planning and flexibility in your itinerary to take breaks, it can still be possible.

For Rena, Doug, and Mary Beth, adventure remains part of their plans. Come along for the ride in the MY RV Getaway Series.

People in the RV Getaway Series are all on the VYVGART Hytrulo prefilled syringe. Treatment that can go where you go.*



Professional photographer Jak (right) and Rena (left) taking photos of the Montana mountains.



Rena

Living with gMG
On VYVGART Hytrulo
prefilled syringe since 2025.

CAPTURING THE WILD WEST

Rena discovered a love of travel early. Growing up, her family moved often and lived in countries around the world.

“My travels shaped who I am. Much of my childhood was just curiosity. Curiosity about the world around me and what makes people the way they are.”

Rena’s curiosity grew into a passion that defined her career. For years, Rena worked as a broadcast journalist interviewing people to uncover their stories.

“What I love about storytelling is a person has a chance to be their authentic self.”

Then, the focus shifted to her own story. Rena started feeling weakness in her legs and was diagnosed with anti-AChR antibody positive gMG.

Rena began with traditional oral gMG treatments, but she didn’t feel like her gMG symptoms were managed. That’s when she asked her doctor about adding VYVGART. Rena heard about self-injection with the VYVGART Hytrulo prefilled syringe and asked her doctor how the flexibility could help her reach her treatment goal of traveling more.

As a part of that discussion, Rena's doctor explained to her that patients should not use VYVGART Hytrulo if they are allergic to any of its ingredients. This medicine may increase infection risk and cause serious allergic, infusion- or injection-related reactions. Most common side effects include respiratory and urinary tract infections, headache, and injection site reactions. See Important Safety Information throughout.

Now, Rena can take her treatment in the original container on trips as long as she can follow the Instructions for Use.*

The MY RV Getaway series brought Rena to Montana, where she took in the beautiful landscape and reconnected with her love of storytelling through photography.

“I'm grateful to be able to capture and share any part of someone's story.”

(Continued on page 9.)

VYVGART Hytrulo® (efgartigimod alfa and hyaluronidase-qvfc) | VYVGART® (efgartigimod alfa-fcab)

SELECT IMPORTANT SAFETY INFORMATION

The most common side effects of VYVGART or VYVGART HYTRULO include respiratory tract infection, headache, and urinary tract infection. An additional common side effect with VYVGART HYTRULO includes injection site reactions. These are not all the possible side effects of VYVGART or VYVGART HYTRULO. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Please see Important Safety Information throughout. Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

*Please see **Patient Information**. Self-inject in a place where you can properly complete the injection. Follow appropriate administration steps and storage and handling in the **Instructions for Use**. Monitor for signs and symptoms of allergic reaction for at least 30 minutes after injection. If an allergic reaction occurs, you should seek medical attention.

MY RV Getaway

(Continued from page 8.)

A JOURNEY TO GIVE BACK



Doug

Living with gMG
On VYVGART Hytrulo prefilled syringe since 2025.

For Doug, community is everything. He learned the value of it while growing up on a small, rural farm and when serving in the US Army. These experiences taught Doug how to show up for others and when to ask for that help in return.


Doug put that lesson to use when he noticed difficulty walking a few years ago. His support system was there for him when he was diagnosed with anti-AChR antibody positive gMG.

"Self-advocacy is important. No one knows how a condition affects you more than you."

He worked with his doctor to add the VYVGART Hytrulo prefilled syringe to his treatment plan in 2025.

With his improved daily abilities, Doug can do more of what he loves. So, he and his son headed to Georgia.

They visited a farm that supports veterans by serving as a training ground for service animals. After sharing that love of service with his son, Doug is thinking of ways to bring what they learned on the farm to their own community.



LEFT AND ABOVE: Doug trains service animals at the farm in Georgia.

(Continued on page 10.)

VYVGART Hytrulo® (efgartigimod alfa and hyaluronidase-qvfc) | VYVGART® (efgartigimod alfa-fcab)

SELECT IMPORTANT SAFETY INFORMATION

Do not take VYVGART if you are allergic to efgartigimod alfa or any of the ingredients in VYVGART. Do not take VYVGART HYTRULO if you are allergic to efgartigimod alfa, hyaluronidase, or any of the ingredients in VYVGART HYTRULO. VYVGART or VYVGART HYTRULO can cause serious allergic reactions and a decrease in blood pressure leading to fainting.

Please see Important Safety Information throughout. Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

MY RV Getaway



> “We grew up on boats, so it was great to be able to do that together.”
>
> MARY BETH



LEFT: Mary Beth (middle) and her sister Duffy (right) go lobster fishing with Eric the boat captain (left) off the coast of Maine. **ABOVE:** Mary Beth and her sister visit a lobster pound.



Mary Beth

Living with gMG
On VYVGART Hytrulo
prefilled syringe since 2025.

(Continued from page 9.)

ALL 50 STATES

Mary Beth had a goal: visit all 50 states. That’s a challenge for anyone, but Mary Beth and her sisters were determined. They traveled the country together until the roadblock of gMG slowed Mary Beth down.

She slowly noticed more drooping of her eyelids and shortness of breath throughout her days. Mary Beth was diagnosed with anti-AChR antibody positive gMG and started traditional gMG treatment.

She still felt like her gMG symptoms were limiting her from traveling the country with her sisters, so she talked to her doctor about her treatment goals. Mary Beth’s doctor added the VYVGART Hytrulo prefilled syringe to her treatment plan.

As her daily abilities began to improve, Mary Beth started to think about traveling. Her sisters encouraged her to come on a trip to Maine. So, she packed up her treatment and explored the beauty of Maine with the people she loves most.*

Mary Beth has now completed her goal of visiting all 50 states, and she is setting her sights on new destinations. ●

Start your own adventure today
Watch these inspiring videos and more

*Please see **Patient Information**. Follow appropriate administration steps and storage and handling in the **Instructions for Use**. Monitor for signs and symptoms of allergic reaction for at least 30 minutes after injection. If an allergic reaction occurs, you should seek medical attention.

SELECT IMPORTANT SAFETY INFORMATION

Before taking VYVGART or VYVGART HYTRULO, tell your healthcare provider about all of your medical conditions, including if you: have an infection or fever; have recently received or are scheduled to receive any vaccinations; have any history of allergic reactions; have kidney (renal) problems. Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

Please see Important Safety Information throughout. Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

VYVGART Hytrulo® (efgartigimod alfa and hyaluronidase-qvfc) | VYVGART® (efgartigimod alfa-fcab)

Getting Away *Together*



Rena’s husband, **OMAR** (right), joined her in Montana



Doug’s son, **JEREMY** (left), joined him in Georgia




Mary Beth’s sister, **DUFFY** (right), joined her in Maine

MEET THE CAST
OF THE VYVGART STORY

Your muscles rely on a team of tiny helpers working behind the scenes to help your body move. Get to know the characters that play an important role in gMG and the VYVGART treatment journey below!

THE MAIN CAST




HARMFUL IgG ANTIBODIES

Can get in the way of messages being sent from the nerves to muscles.



FcRn

Attaches to IgG antibodies and helps them stay in the body longer.



VYVGART

Attaches to FcRn so some IgG antibodies can't attach. With fewer harmful antibodies, symptoms are reduced.

THE SUPPORTING CAST



ACh

Helps carry messages from the brain to different parts of the body.




AChR

Receives messages from nerves that tell muscles what to do.



LRP4

Helps messages get from the nerves to the muscles. LRP4 attaches to MuSK to help "switch it on."



MuSK

Once on, MuSK helps group together AChR, so the muscle can receive ACh from the nerves.

ACh=acetylcholine; IgG=immunoglobulin G; FcRn=neonatal Fc receptor.

WATCH THE CHARACTERS IN ACTION

Get the full story of what causes gMG and how VYVGART can help.

TEST YOUR KNOWLEDGE

Read each clue below. Then match it with the character it belongs to.

C **1.** "I help IgG antibodies stay in the body longer."

— **2.** "I attach to FcRn so some IgG antibodies can't."

— **3.** "I can get in the way of communication between nerves and muscles."

— **4.** "I target specific parts of the immune system to treat various types of gMG."

A. HARMFUL IgG ANTIBODIES

B. BIOLOGICS

C. FcRn

D. VYVGART

Stumped? *Answers can be found on page 12.*

SELECT IMPORTANT SAFETY INFORMATION

Before taking VYVGART or VYVGART HYTRULO, tell your healthcare provider about all of your medical conditions, including if you: are pregnant or plan to become pregnant; are breastfeeding or plan to breastfeed. It is not known whether VYVGART or VYVGART HYTRULO will harm your unborn baby. It is not known if VYVGART or VYVGART HYTRULO passes into your breast milk. Pregnancy Exposure Registry. There is a pregnancy exposure registry for women who use VYVGART or VYVGART HYTRULO during pregnancy. The purpose of this registry is to collect information about your health and your baby. Your healthcare provider can enroll you in this registry. You may also enroll yourself or get more information about the registry by calling 1-855-272-6524 or going to VYVGARTPregnancy.com.

Please see Important Safety Information throughout. Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

Do not take VYVGART if you are allergic to efgartigimod alfa or any of the ingredients in VYVGART. Do not take VYVGART HYTRULO if you are allergic to efgartigimod alfa, hyaluronidase, or any of the ingredients in VYVGART HYTRULO. VYVGART or VYVGART HYTRULO can cause serious allergic reactions and a decrease in blood pressure leading to fainting.

Before taking VYVGART or VYVGART HYTRULO, tell your healthcare provider about all of your medical conditions, including if you:

- have an infection or fever.
- have recently received or are scheduled to receive any vaccinations.
- have any history of allergic reactions.
- have kidney (renal) problems.
- are pregnant or plan to become pregnant. It is not known whether VYVGART or VYVGART HYTRULO will harm your unborn baby.
  - Pregnancy Exposure Registry. There is a pregnancy exposure registry for women who use VYVGART or VYVGART HYTRULO during pregnancy. The purpose of this registry is to collect information about your health and your baby. Your healthcare provider can enroll you in this registry. You may also enroll yourself or get more information about the registry by calling 1-855-272-6524 or going to VYVGARTPregnancy.com
- are breastfeeding or plan to breastfeed. It is not known if VYVGART or VYVGART HYTRULO passes into your breast milk.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

VYVGART or VYVGART HYTRULO can cause side effects which can be serious, including:

- **Infection.** VYVGART or VYVGART HYTRULO may increase the risk of infection. If you have an active infection, your healthcare provider should delay your treatment with VYVGART or VYVGART HYTRULO until your infection is gone. Tell your healthcare provider right away if you get any of the following signs and symptoms of an infection:
  - fever
  - chills
  - frequent and painful urination
  - cough
  - pain and blockage of nasal passages
  - wheezing
  - shortness of breath
  - sore throat
  - excess phlegm
  - nasal discharge
- **Allergic reactions (hypersensitivity reactions).** VYVGART or VYVGART HYTRULO can cause allergic reactions that can be severe. These reactions can happen during, shortly after, or weeks after your VYVGART infusion or VYVGART HYTRULO injection. Tell your healthcare provider or get emergency help right away if you have any of the following symptoms of an allergic reaction with VYVGART or VYVGART HYTRULO:
  - rash
  - swelling of the face, lips, throat, or tongue
  - shortness of breath
  - trouble breathing
  - low blood pressure
  - fainting

  An additional symptom of an allergic reaction with VYVGART HYTRULO can include hives.
- **Infusion or injection-related reactions.** VYVGART can cause infusion-related reactions. VYVGART HYTRULO can cause infusion or injection-related reactions. These reactions can happen during or shortly after your VYVGART infusion or VYVGART HYTRULO injection. Tell your healthcare provider if you have any of the following symptoms of an infusion or injection-related reaction:
  - high blood pressure
  - chills
  - shivering
  - chest, stomach, or back pain

The most common side effects of VYVGART or VYVGART HYTRULO include respiratory tract infection, headache, and urinary tract infection. An additional common side effect with VYVGART HYTRULO includes injection site reactions.

These are not all the possible side effects of VYVGART or VYVGART HYTRULO. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

What is VYVGART® (efgartigimod alfa-fcab) for intravenous (IV) infusion and what is VYVGART HYTRULO® (efgartigimod alfa and hyaluronidase-qvfc) for subcutaneous injection?

VYVGART and VYVGART HYTRULO are both prescription medicines used to treat adults with generalized myasthenia gravis (gMG).

It is not known if VYVGART or VYVGART HYTRULO is safe and effective in children.

Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

Dosage forms and strengths:

VYVGART Hytrulo is available as a single-dose subcutaneous injection containing: 200 mg/mL of efgartigimod alfa and 2,000 U/mL of hyaluronidase per prefilled syringe, or 180 mg/mL of efgartigimod alfa and 2,000 U/mL of hyaluronidase per vial. VYVGART is available as a single-dose injection for intravenous use containing 400 mg/20 mL of efgartigimod alfa-fcab per vial.

Answers from page 11:

1. FcRn

2. VYVGART

3. Harmful IgG antibodies

4. Biologics

Welcome to **VYVGART (You)niversity**

Hear from people who know what it is really like



4 mini lessons featuring experts
and the **Voices of VYVGART**

Start learning about VYVGART from the community today

You will hear conversations from the Voices of VYVGART and presentations by neurologists Dr. Beth Stein and Dr. Andrew Gordon about:

- The basics and why people on VYVGART feel it's the right fit for them
- Effectiveness and safety of VYVGART
- How VYVGART works in the body
- Support that could help you with starting and staying on VYVGART

VYVGART Hytrulo® (efgartigimod alfa and hyaluronidase-qvfc) | VYVGART® (efgartigimod alfa-fcab)

VYVGART and VYVGART Hytrulo are registered trademarks of argenx.
For U.S. audiences only.
©2026 argenx US-VYV-26-00468 V1 11/2026

argenx