

MY Way MAGAZINE

VYVGART Hytrulo®
(efgartigimod alfa and hyaluronidase-qvfc)

VYVGART®
(efgartigimod alfa-fcab)

Home on the Range

**Karon talks about life
in the country and her
experiences on VYVGART**

PG. 10



TREATMENT MY WAY
What it means to Fred
and others on VYVGART

PG. 9



Welcome

to the first issue
of *MY Way
Magazine*. Here

at argenx, we have the privilege of hearing from patients, caregivers, and advocates like you every day. You are the driving force behind the argenx mission to improve the lives of people living with autoimmune conditions.

That's why this issue is packed with personal stories, practical tips, and information to help you on your gMG journey. Our hope is that after you read it, you'll feel a little more informed, empowered, and inspired than you did before.

MY Way Magazine is made for you, with the help of people like you. It's part of the argenx commitment to supporting you and the gMG community. Together, we are better.

From your team at
argenx

What is VYVGART® (efgartigimod alfa-fcab) for intravenous (IV) infusion and what is VYVGART HYTRULO® (efgartigimod alfa and hyaluronidase-qvfc) for subcutaneous injection?

VYVGART and VYVGART HYTRULO are both prescription medicines used to treat adults with generalized myasthenia gravis (gMG) who are anti-acetylcholine receptor (AChR) antibody positive.

It is not known if VYVGART or VYVGART HYTRULO is safe and effective in children.

SELECT IMPORTANT SAFETY INFORMATION

Do not take VYVGART if you are allergic to efgartigimod alfa or any of the ingredients in VYVGART. Do not take VYVGART HYTRULO if you are allergic to efgartigimod alfa, hyaluronidase, or any of the ingredients in VYVGART HYTRULO. VYVGART or VYVGART HYTRULO can cause serious allergic reactions and a decrease in blood pressure leading to fainting.

Please see Important Safety Information throughout. Please see full [Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection](#) and full [Prescribing Information for VYVGART for IV infusion](#).

Table of Contents

- 04 Q+A With a Neurologist**
Get some answers about the VYVGART Hytrulo prefilled syringe
- 06 Travel-Ready Tips**
from people on VYVGART
- 08 Meet a Nurse Case Manager**
Get to know Jeanne and how she helps support people on VYVGART
- 09 Getting Personal**
about *Treatment MY Way*



Patient stories are based on personal experiences. Individual results may vary. The people featured in these stories are living with anti-AChR antibody positive gMG and are paid spokespeople of argenx. Everyone's anti-AChR antibody positive gMG story is different. Talk to your doctor before making any changes to your treatment plan.



10

Karon's Life in the Country

She's living life on her ranch with anti-AChR antibody positive gMG and VYVGART Hytrulo

- 14 Picture This**
See what people on VYVGART have been up to lately
- 16 Puzzle Break**
Test your knowledge and fill in the blanks!
- 18 Important Safety Information**
for VYVGART and VYVGART Hytrulo

Q
+

A
Neurologist Jon Durrani, DO, talks about VYVGART Hytrulo and the prefilled syringe

When I talk to my patients about self-injection using the VYVGART Hytrulo prefilled syringe, they have questions. I'm passionate about listening to their unique challenges and goals, and providing answers that help them understand their treatment choices. And now, I'm happy to share a few answers with you, too.



Q: What is different about the VYVGART Hytrulo prefilled syringe for self-injection?

A: Unlike treatments that require visits to an infusion center, VYVGART Hytrulo can be **self-injected at home, or wherever you go** using the prefilled syringe.* It's a subcutaneous injection, meaning it's injected under the skin, and takes about 20-30 seconds to inject.* That said, you can still get VYVGART Hytrulo injections from a healthcare provider in a doctor's office or clinic, if that's what you prefer.



*Please see **Patient Information**. Follow appropriate administration steps and storage and handling guidance in the **Instructions for Use**. Monitor for signs and symptoms of an allergic reaction for at least 30 minutes after injection. If an allergic reaction occurs, you should seek medical attention.

Q: How do I learn to self-inject?

A: This is a common question! **You'll get in-person training at home or at your doctor's office** until you're ready to inject on your own. The same goes for your caregiver, if they'll be giving the injections. **And you'll get a demonstration kit** to help you learn, with an empty syringe and a block to practice on.

Q: How does dosing work with VYVGART Hytrulo?

A: VYVGART Hytrulo is given in treatment cycles. **Each treatment cycle is 4 treatments, 1 given each week, with a personalized break between each cycle.** You and your doctor will decide the length of your break based on your symptoms and side effects.†

Here's an example of how that can work. I might start a patient with a break of 4 weeks between treatment cycles. Then, if their symptoms aren't returning yet after 4 weeks, we talk about extending that break. We keep an eye on their symptoms as we go, and tailor their break to their needs. VYVGART Hytrulo allows us the flexibility to do that.

Learn more about VYVGART dosing
[Watch the video](#)

SELECT IMPORTANT SAFETY INFORMATION

Before taking VYVGART or VYVGART HYTRULO, tell your healthcare provider about all of your medical conditions, including if you: have an infection or fever; have recently received or are scheduled to receive any vaccinations; have any history of allergic reactions; have kidney (renal) problems. Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

Please see Important Safety Information throughout. Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

†The safety of starting the next treatment cycle sooner than 4 weeks from the end of the previous treatment cycle has not been established.

Big Moments in VYVGART History



2018
The first phase 3 clinical trial for VYVGART for IV infusion begins



2021
The FDA approves VYVGART for IV infusion, the first treatment of its kind for adults with anti-AChR antibody positive gMG



2023
The FDA approves VYVGART Hytrulo for subcutaneous injection



2025
VYVGART Hytrulo becomes available as a prefilled syringe for self-injection

Travel-Ready Tips for Your Next Weekend Getaway

Whether it's a holiday visit or a summer splash, get a few pointers from these well-traveled VYVGART Voices.



“At times, I've needed to plan a trip around my VYVGART infusions. **I coordinate with my home nurse and we come up with a game plan that works.**”

– **Griselda**
On VYVGART for IV infusion



“I usually plan my trips around my treatments. **Ideally, I try to plan trips for soon after my VYVGART treatment cycle ends.**”

– **Doug**
On VYVGART for IV infusion



“**I track my symptoms with the MG-ADL scale every week, including while I'm traveling.** The My VYVGART App makes it easy.”

– **Sue**
On VYVGART for IV infusion



WHAT'S THE MG-ADL SCALE?

The Myasthenia Gravis Activities of Daily Living (MG-ADL) scale is an assessment tool that measures the severity of 8 common symptoms of gMG. Each item is scored on a 4-point scale and then added together for a total MG-ADL score. A lower score means less severe symptoms. It can be helpful for talking to your doctor about your gMG symptoms.

Consult with your doctor before making any travel plans.

Start tracking today with the My VYVGART App by Medisafe



Download from your device's app store. Follow the prompts within the app and select VYVGART as your medication.

Tip: If you're enrolled in My VYVGART Path, ask your Nurse Case Manager (NCM) for a code to unlock even more app features.

SELECT IMPORTANT SAFETY INFORMATION

Before taking VYVGART or VYVGART HYTRULO, tell your healthcare provider about all of your medical conditions, including if you: are pregnant or plan to become pregnant; are breastfeeding or plan to breastfeed. It is not known whether VYVGART or VYVGART HYTRULO will harm your unborn baby. It is not known if VYVGART or VYVGART HYTRULO passes into your breast milk. Pregnancy Exposure Registry. There is a pregnancy exposure registry for women who use VYVGART or VYVGART HYTRULO during pregnancy. The purpose of this registry is to collect information about your health and your baby. Your healthcare provider can enroll you in this registry. You may also enroll yourself or get more information about the registry by calling 1-855-272-6524 or going to VYVGARTPregnancy.com.

Please see Important Safety Information throughout. Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

VYVGART is given in treatment cycles with a personalized break between cycles. Each cycle is 4 treatments, 1 given each week. You'll work with your doctor to personalize your breaks between cycles based on your symptoms and side effects. The safety of starting the next treatment cycle sooner than 4 weeks from the end of the previous treatment cycle has not been established.



A Cheerleader for People on VYVGART

Get to know **Jeanne**, a Nurse Case Manager (NCM) who loves what she does.

I became an NCM because...

Patients have always been close to my heart. Before I became an NCM with My VYVGART Path, I was a Clinical Educator and Patient Services Liaison, and I **wanted to keep working with patients** and be their cheerleader.

My favorite part of the job is... Working with each and every patient. Everyone has a different level of knowledge about gMG and VYVGART. I love helping them learn the ins and outs of getting started on a biologic like VYVGART. And **I love hearing their goals** and helping to provide the education they're looking for. I want them to know, "I've got you."

One of the common questions I hear is... "How much is it going to cost?" Coverage for VYVGART can be hard to understand, especially for people who have never needed a prior authorization before. **I help answer their questions and support them** throughout the whole process.

If I could go anywhere in the world, I'd go to... Any place with palm trees and sandy beaches! The beach is my happy place. You can drop me off in the morning and pick me up at dinner time, and my heart will be full.



Meet the My VYVGART Path team
See how NCMs support you every step of the way

Getting Personal About Treatment

We asked people on **VYVGART Hytrulo** what "treatment MY way" means to them



For Mary Beth, it's about time

When I first started on VYVGART for IV infusion, **"treatment MY way" meant advocating for myself.** Now, it means **spending less time to get my treatment.** When I learned about VYVGART Hytrulo, I asked my doctor about it right away. We decided to try it, and it's given me some time back in my day.



Fred wanted to be on the road

"Treatment MY way" means **being able to do the things I want to do. Like driving.** My career is in luxury car sales, and I want to personally deliver my customers' new cars.



Pam wanted a personalized treatment plan*

For me, it means that **my treatment cycles aren't on a set schedule**—I start a new cycle when I actually need it. If it's been four weeks since my last cycle and my symptoms aren't starting to return, I can talk to my doctor about waiting another week or two before my next cycle.

Do not use VYVGART for IV infusion or VYVGART Hytrulo for subcutaneous injection if you are allergic to any of their ingredients. These medicines may increase infection risk and cause serious allergic, infusion or injection-related reactions. Most common side effects include respiratory and urinary tract infections and headache, as well as injection site reactions with VYVGART Hytrulo. See Important Safety Information throughout.

*VYVGART is given in treatment cycles with a personalized break between cycles. Each cycle is 4 treatments, 1 given each week. You'll work with your doctor to personalize your breaks between cycles based on your symptoms and side effects. The safety of starting the next treatment cycle sooner than 4 weeks from the end of the previous treatment cycle has not been established.

SELECT IMPORTANT SAFETY INFORMATION

VYVGART or VYVGART HYTRULO can cause side effects which can be serious, including infection. VYVGART or VYVGART HYTRULO may increase the risk of infection. If you have an active infection, your healthcare provider should delay your treatment with VYVGART or VYVGART HYTRULO until your infection is gone. Tell your healthcare provider right away if you get any of the following signs and symptoms of an infection: fever; chills; frequent and painful urination; cough; pain and blockage of nasal passages; wheezing; shortness of breath; sore throat; excess phlegm; nasal discharge.

Please see Important Safety Information throughout. Please see full [Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection](#) and full [Prescribing Information for VYVGART for IV infusion](#).

Karon's Life in the Country

Baking, family, and creating community in her dream location. That's living Karon's way.



It's a crisp fall day,

and Karon is walking to her brother's house nearby with a loaf of fresh-baked sourdough bread. She's been able to do this more often, she says, after starting treatment with VYVGART in 2023. "I was able to bake more and to cook more, and to share more meals... to help more when they needed help."

She says that it's been refreshing to be able to do these things. "Back when we first moved here, I was the one who needed help the most."

Karon was diagnosed with anti-AChR antibody positive gMG in 2010. She had to make changes to adapt to life with gMG, like relying on others more.

Back then, she lived just 10 minutes outside a major city. But about 4 years later, Karon and her husband made a big change—they moved to a 20-acre property in a rural town with fewer than 800 residents. They wanted an escape from crowds and traffic. But the move was about so much more than that.

A peaceful paradise shared by family

"I remember, when we first came to this property, thinking about how peaceful it was," Karon says. "I thought of all the memories we were going to share here, the holidays and family gatherings."

Now, family is just a few acres away. Karon's parents, brother, and sister-in-law all went in on the property and built homes there.

(Continued on page 12.)

SELECT IMPORTANT SAFETY INFORMATION

VYVGART or VYVGART HYTRULO can cause side effects which can be serious, including allergic reactions (hypersensitivity reactions). VYVGART or VYVGART HYTRULO can cause allergic reactions that can be severe. These reactions can happen during, shortly after, or weeks after your VYVGART infusion or VYVGART HYTRULO injection. Tell your healthcare provider or get emergency help right away if you have any of the following symptoms of an allergic reaction with VYVGART or VYVGART HYTRULO: rash; swelling of the face, lips, throat, or tongue; shortness of breath; trouble breathing; low blood pressure; fainting. An additional symptom of an allergic reaction with VYVGART HYTRULO can include hives.

Please see Important Safety Information throughout. Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

(Continued from page 11.)

They share the land with some four-legged residents, too. A neighbor's cattle regularly graze on the property, and the family enjoys walking to see the new calves with their dogs, Kaya and Molly.

"Being able to walk to each other's houses is great," says Karon—especially for her nephew, who loves playing outside. And it means support is close by if Karon needs help.

Strength in numbers: Karon's support group

When she was first diagnosed with gMG, the nearest support group was hours away. But that didn't stop Karon and her husband from making the drive—and it was worth it. "I had no idea how much it would help," Karon says. "I needed other people with gMG in my life who were walking the same path."

After receiving an outpouring of support, Karon and her husband wanted to pay it forward to others.

SELECT IMPORTANT SAFETY INFORMATION

VYVGART or VYVGART HYTRULO can cause side effects which can be serious, including infusion or injection-related reactions. VYVGART can cause infusion-related reactions. VYVGART HYTRULO can cause infusion or injection-related reactions. These reactions can happen during or shortly after your VYVGART infusion or VYVGART HYTRULO injection. Tell your healthcare provider if you have any of the following symptoms of an infusion or injection-related reaction: high blood pressure; chills; shivering; chest, stomach, or back pain.

Please see Important Safety Information throughout. Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.



“
I needed other people with gMG in my life who were walking the same path.”
— Karon, on her gMG support group

They soon started a new support group in their area. "It's been one of the best things that we've done throughout this journey," Karon says. "It helped both of us because he needed it, as well."

The group has since grown to almost 200 members, and meets every month. Karon says that, even on bad days, helping someone else can help her, too. "We're like a family. It gives me a lot of joy."

Karon's VYVGART journey

Karon first learned about VYVGART when a neurologist came to speak to her support group. It inspired Karon to talk to her own neurologist, who agreed that VYVGART could be a good fit for her based on its potential benefits and risks.

As part of that discussion, Karon's doctor explained to her that patients should not use VYVGART for IV infusion or VYVGART Hytrulo for subcutaneous injection if they are allergic to any of their ingredients. These medicines may increase infection risk and cause serious allergic, infusion or injection-related reactions. Most common side effects include respiratory and urinary tract infections and headache, as well as injection site reactions with VYVGART Hytrulo. See Important Safety Information throughout.

So, in November 2023, Karon started on VYVGART for IV infusion in addition

to the oral gMG treatment she was already taking. In June 2024, she and her neurologist decided to move from VYVGART for IV infusion to VYVGART Hytrulo for subcutaneous injection.

"That's really been a good treatment for me," she says. "It's given me the ability to do more activities. It's given me more arm strength, more hand strength, less muscle fatigue. VYVGART Hytrulo has given me the ability to cook bread every week for friends and family, and to share it with people that I love."

Creating community, one loaf at a time

These days, Karon bakes a few loaves a week to share with family and friends. "It's a way to show them how much I love them," she says. "And to say thank you for helping me when I needed it."


Being able to host the people she loves—and feed them—means a lot to Karon. She recently cooked a gourmet meal for her parents' anniversary celebration, and hopes to do the same for the holidays.

Karon's got a lot to look forward to. But first, she's got a bread delivery to make. ●

 **See more of Karon's story**
[Watch the video](#)

VYVGART on the move

See what a few members of the gMG community have been up to lately.




PAM

“Here's my sister Lisa and me at my granddaughter's winter guard performance!”



KARON

“Earlier this spring, I got to travel to my niece Cari's graduation ceremony. It was great to be there!”



NIKI

“My husband Andrew and I not only visited Poland, we stayed in a castle. This is us with Książ Castle in the background.”



KARON

“Celebrating with two of our best friends at their wedding.”



DANIEL

“My brother and I were out on a walk and stopped for lunch at a local restaurant.”



PAM

“Enjoying the community pool on a warm day. The water was the perfect way to cool off!”

SELECT IMPORTANT SAFETY INFORMATION

The most common side effects of VYVGART or VYVGART HYTRULO include respiratory tract infection, headache, and urinary tract infection. An additional common side effect with VYVGART HYTRULO includes injection site reactions. These are not all the possible side effects of VYVGART or VYVGART HYTRULO. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Please see Important Safety Information throughout. Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

MY WAY WITH WORDS

Fill in the blanks—
and have some fun with it!

MY treatment, MY goals

One thing I'd like to try doing is _____.

When I think about gMG treatment MY way, I think about _____.

MY type of destination

MY ideal vacation would be to go to _____.
I'd love to spend the day _____.

or _____.
If this destination had a restaurant that only served MY favorite food, the menu would have _____ and _____.

Morning, noon, and night

I love starting the day by _____
when I first get up.

MY favorite thing to do with a free afternoon is _____.

On MY ideal night out, you'd find me at _____,
where I'd be _____.

How much do you know?
Test your knowledge of gMG, VYVGART, and a few other things, too.

Across →

2. "Subcutaneous" means under this
5. A doctor who treats gMG
6. The capital "G" in "gMG"
7. Track your gMG symptoms with this scale

Down ↓

1. The "M" in "NCM"
3. The number of treatments in a VYVGART treatment cycle
4. Karon's favorite thing to bake

SELECT IMPORTANT SAFETY INFORMATION

Before taking VYVGART or VYVGART HYTRULO, tell your healthcare provider about all of your medical conditions, including if you: have an infection or fever; have recently received or are scheduled to receive any vaccinations; have any history of allergic reactions; have kidney (renal) problems. Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

Please see Important Safety Information throughout. Please see full [Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection](#) and full [Prescribing Information for VYVGART for IV infusion](#).

Stumped? Answers can be found throughout this issue. There's also an answer key on page 19.

IMPORTANT SAFETY INFORMATION

Do not take VYVGART if you are allergic to efgartigimod alfa or any of the ingredients in VYVGART. Do not take VYVGART HYTRULO if you are allergic to efgartigimod alfa, hyaluronidase, or any of the ingredients in VYVGART HYTRULO. VYVGART or VYVGART HYTRULO can cause serious allergic reactions and a decrease in blood pressure leading to fainting.

Before taking VYVGART or VYVGART HYTRULO, tell your healthcare provider about all of your medical conditions, including if you:

- have an infection or fever.
- have recently received or are scheduled to receive any vaccinations.
- have any history of allergic reactions.
- have kidney (renal) problems.
- are pregnant or plan to become pregnant. It is not known whether VYVGART or VYVGART HYTRULO will harm your unborn baby.
- Pregnancy Exposure Registry. There is a pregnancy exposure registry for women who use VYVGART or VYVGART HYTRULO during pregnancy. The purpose of this registry is to collect information about your health and your baby. Your healthcare provider can enroll you in this registry. You may also enroll yourself or get more information about the registry by calling 1-855-272-6524 or going to VYVGARTPregnancy.com
- are breastfeeding or plan to breastfeed. It is not known if VYVGART or VYVGART HYTRULO passes into your breast milk.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

VYVGART or VYVGART HYTRULO can cause side effects which can be serious, including:

• **Infection.** VYVGART or VYVGART HYTRULO may increase the risk of infection. If you have an active infection, your healthcare provider should delay your treatment with VYVGART or VYVGART HYTRULO until your infection is gone. Tell your healthcare provider right away if you get any of the following signs and symptoms of an infection:

- fever
- chills
- frequent and painful urination
- cough
- pain and blockage of nasal passages
- wheezing
- shortness of breath
- sore throat
- excess phlegm
- nasal discharge

• **Allergic reactions (hypersensitivity reactions).** VYVGART or VYVGART HYTRULO can cause allergic reactions that can be severe. These reactions can happen during, shortly after, or weeks after your VYVGART infusion or VYVGART HYTRULO injection. Tell your healthcare provider or get emergency help right away if you have any of the following symptoms of an allergic reaction with VYVGART or VYVGART HYTRULO:

- rash
- swelling of the face, lips, throat, or tongue
- shortness of breath
- trouble breathing
- low blood pressure
- fainting

An additional symptom of an allergic reaction with VYVGART HYTRULO can include hives.

• **Infusion or injection-related reactions.** VYVGART can cause infusion-related reactions. VYVGART HYTRULO can cause infusion or injection-related reactions. These reactions can happen during or shortly after your VYVGART infusion or VYVGART HYTRULO injection. Tell your healthcare provider if you have any of the following symptoms of an infusion or injection-related reaction:

- high blood pressure
- chills
- shivering
- chest, stomach, or back pain

The most common side effects of VYVGART or VYVGART HYTRULO include respiratory tract infection, headache, and urinary tract infection. An additional common side effect with VYVGART HYTRULO includes injection site reactions.

These are not all the possible side effects of VYVGART or VYVGART HYTRULO. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

What is VYVGART® (efgartigimod alfa-fcab) for intravenous (IV) infusion and what is VYVGART HYTRULO® (efgartigimod alfa and hyaluronidase-qvfc) for subcutaneous injection?

VYVGART and VYVGART HYTRULO are both prescription medicines used to treat adults with generalized myasthenia gravis (gMG) who are anti-acetylcholine receptor (AChR) antibody positive.

It is not known if VYVGART or VYVGART HYTRULO is safe and effective in children.

Please see full Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection and full Prescribing Information for VYVGART for IV infusion.

Dosage forms and strengths:

VYVGART Hytrulo is available as a single-dose subcutaneous injection containing: 200 mg/mL of efgartigimod alfa and 2,000 U/mL of hyaluronidase per prefilled syringe, or 180 mg/mL of efgartigimod alfa and 2,000 U/mL of hyaluronidase per vial. VYVGART is available as a single-dose injection for intravenous use containing 400 mg/20 mL of efgartigimod alfa-fcab per vial.

Crossword answers from page 17:

ACROSS

- 2. Skin
- 5. Neurologist
- 6. Gravis
- 7. MG-ADL

DOWN

- 1. Manager
- 3. Four
- 4. Sourdough

Connect with someone on VYVGART who also lives with gMG

When you enroll in the program, you'll get to:



- **Speak one-on-one** with a mentor who understands the anti-AChR antibody positive gMG journey
- **Learn about their experiences** with VYVGART Hytrulo for subcutaneous injection or VYVGART for IV infusion
- **Ask questions** you may have about VYVGART

Real people on VYVGART.



Sign up to be connected with a mentor today!

Click or call [1-888-VYV-JOUR](https://www.vyv-jour.com) (1-888-898-5687)

What is VYVGART® (efgartigimod alfa-fcab) for intravenous (IV) infusion and what is VYVGART HYTRULO® (efgartigimod alfa and hyaluronidase-qvfc) for subcutaneous injection?

VYVGART and VYVGART HYTRULO are both prescription medicines used to treat adults with generalized myasthenia gravis (gMG) who are anti-acetylcholine receptor (AChR) antibody positive. It is not known if VYVGART or VYVGART HYTRULO is safe and effective in children.

SELECT IMPORTANT SAFETY INFORMATION

Do not take VYVGART if you are allergic to efgartigimod alfa or any of the ingredients in VYVGART. Do not take VYVGART HYTRULO if you are allergic to efgartigimod alfa, hyaluronidase, or any of the ingredients in VYVGART HYTRULO. VYVGART or VYVGART HYTRULO can cause serious allergic reactions and a decrease in blood pressure leading to fainting.

Please see Important Safety Information throughout. Please see full [Prescribing and Patient Information for VYVGART HYTRULO for subcutaneous injection](#) and full [Prescribing Information for VYVGART for IV infusion](#).

VYVGART and VYVGART Hytrulo are registered trademarks of argenx.
For U.S. audiences only.

©2026 argenx US-VYV_HYT-25-00488 V1 02/2026